



Compatibility with



Manual

July 2019
Rev.1

The Original Legendary HAI

Thermostat & HVAC Control




Maximum System Capacity: 64

Security Keypad



Maximum System Capacity: 16

BUS Sys.



Maximum System Capacity: 256 Addresses, 128 Scenes

Touch Screen



Maximum System Capacity: 16


The New G4 Solution for 2019




Maximum System Capacity: 30,000



Maximum System Capacity: 1,200



Maximum System Capacity: 720,000 Addresses & Scenes



Maximum System Capacity: 720,000 Addresses & Scenes

Note: HAI LOGO is not property of Smart Group, its owned by HAI and by Leviton. It has been only used for reference

The Original Legendary HAI

PCS Powerline
HAI UPB
Pulseworx



Maximum System Capacity: 64

The New G4 Solution for 2019



Maximum System Capacity: 64 Uses also PCS

Outdoor
Access Control




Maximum System Capacity: 16




Maximum System Capacity: 999

Dry Input Zones
& Monitoring



Maximum System Capacity: 176X2

connection diagram



Maximum System Capacity: 250,000 Add on the Go

RS-232



Maximum System Capacity: 5-11



Maximum System Capacity: 60,000 On The go

Note: HAI LOGO is not property of Smart Group, its owned by HAI and by Leviton. It has been only used for reference

The Original Legendary HAI

Audio HiFi Zones




Maximum System Capacity: 36

Software And APPs



Maximum System Capacity: Over 4 SW and APPs

Main System Topology



Maximum System Capacity: Star mainly, Lighting BUS

Direct System Sensors




Maximum System Capacity: Temperature, Humidity, Freeze

The New G4 Solution for 2019




Maximum System Capacity: 1970



Maximum System Capacity: Over 10 Free APPs and

Maximum System Capacity: Accept Any Wiring Topology



Maximum System Capacity: Accept Any Wiring Topology



Maximum System Capacity: Huge List of Sensors

Note: HAI LOGO is not property of Smart Group, its owned by HAI and by Leviton. It has been only used for reference

The Original Legendary HAI

IR Media Flashers



Maximum System Capacity: **Flexible**

The New G4 Solution for 2019



Maximum System Capacity: **Super Flexible**

Lighting Interface



System Capacity: **Dali & KNX**



System Capacity: **DALI, o-10V, DMX, LED driver & More**

SMS TEXT Module



System Capacity: **Yes 2-way**



System Capacity: **Yes 2-way**

Modern wired Switches



Maximum System Capacity: **Many**



Maximum System Capacity: **Many**

Note: HAI LOGO is not property of Smart Group, its owned by HAI and by Leviton. It has been only used for reference

CTP Color Touch Wall Switch Panel



CTP Capacitive Dynamic Wall Switch Panel



Fruit Basket and Elegant Modern Finishes



• Strawberry



• Orange



• Pear



• Berry






• Lemon



• Cherry

Easy Network and Easy Programming

Connection Diagram

CABLES	
	LAN
	S-BUS
	A/V



We Are Licensed Masters in Both Systems





OUR CONTACTS IN CANADA



TRAINING & SUPPORT CENTER

6320 Boulevard Hamel, L Ancienne-Lorette QC Canada G2E 2HB

Tel: +1 418 627 0264 (English Support)

Tel: +1 514 798 7687 (French Support)



Quebec City

Mr. Carol Lambert

+1 418 271 1075

Carol.lambert@sg4cc.com



Toronto / Mississauga

Mr. Mohanad Jraihi

+1 647 542 5578

Mohanad.jraihi@gmail.com



Montreal

Ms. Maha ElKelish

+1 514 677 1915

maha.elkelish@dataidtech.com