

Smart G4 Audio Product Series

Multi Room Distributed Audio, PA, Emergency Evacuation, and BGM

HAVE YOU EVER DREAMT OF DYNAMIC AMBIANCE!

- -WHERE YOUR MUSIC MOVES WITH YOU
- -WHERE YOU CAN SEND YOUR MUSIC TO
- -DIFFERENT ZONES FROM YOUR MOBILE DEVICES AND LAPTOPS
- -WHERE YOU CAN PLUG YOUR USB, YOUR SD CARD
- -WHERE YOU CAN HAVE AFFORDABLE CUTTING EDGE TECHNOLOGY
- -THAT INTEGRATES TO CHROMECAST-AUDIO DIRECT AS PnP

G4 Made it Reality Now





List of Smart G4 Audio Products

Players, Amplifiers, Speaker controllers

- Audio Matrix 4X4
- Zone-Audio II
- Mini-Zaudio
- Zone Speaker Selector
- Bedside G-Platter Audio
- Mi-Audio2
- Mosaic Android Audio
- Lumi-Audio
- Teller Window Audio Intercom
- Mini-Volume
- Classroom Audio Set

Speakers Selection

- 6.5" NAI Frame-less in-Ceiling Speaker
- 6" Economy Frame-Less Ceiling Speaker
- 3" Economy High performance Speaker
- Wall Surface mount Speaker
- Omni in-ground speaker (Bose)
- Garden Rock Speaker
- Pool under water speaker
- Resound Art Speakers
- Economy in-Ceiling Mini-Speaker





Audio Matrix 4X4



Built in Air-Play:

Play your music From your Mobile Phone to any Zone you desire, or create your own multi zone (Party Mode)

3X32 Cascadable:

If you care to have more zones, the easy cascade feature allows you to expand your property to zones to 32 audio zones

Built in KOK:

The amazing Karioke function allows full KOK microphone manipulation and audio mixing adding effects to the singer sound

Pro-Series



Built in Microphone Jacks

PA Detect function

S-BUS Enabled: control from any wall pad

SB-MATRIX-A44Pro-DIN SB-MX44Pro-DIN

Audio Matrix 4X4

ALL YOU NEED!

ON BOARD CONTROL BUTTONS KOK FUNCTION W/ MIC. MIXING 3AUDIO SOURCES & 1AIR-MUSIC

The only S-BUS Enabled Multi-Room Audio Wifi Air-Music Play with incredible features in the World

8 Channels each is 30Watts
Infra Red Remote Control enabled

DIMENSIONS:

144 mm (W) x 75 mm (H) x 90 mm (D)





Audio-Matrix 4X4

Beautiful but a Beast

The all-in-one player with built-in quad amplifiers x 2 channels pumps 30Watts each, and 2 channels loop out to connect to External pre-amplifier. The built-in PA Auto audio-detect feature allows chromecast audio to be PnP with its full features *according to region

SB-MATRIX-A44-DIN SB-MX44-DIN






Audio Matrix 4X4



Standard-Series





Matrix Audio 4X4 Connection Diagram Example

SB-MATRIX-A44-DIN SB-MX44-DIN Living Zone Speaker Dining Bedroom Kitchen/Study Zone Speaker Zone Speaker Zone Speaker Matrix 4x4 Amplifier Alexa Terrace ******** Garden Speaker Cheome Cast Mic Receiver

Sing Along

Listen alone

Listen Together

G4

Bedroom Alone

Living and Dining

with Terrace (Party)

Whole House





DIMENSIONS:

215 mm (W) x

55 mm (H) x

91 mm (D)



SB-ZAudio2-DN

Distributed Audio

Locate Centrally or In-Room

The all-in-one player with built-in Dual amplifiers 2 channels pumps 30Watts each,

Built in FM-Radio, SD card Reader, FTP form NAS streaming over LAN. Built in 2 Aux inupt and 1 Output The built-in AUX with Auto audio-detect feature allows chromecast, airpplay audio to PnP with its full features

*according to region

Z-Audio II

The King of Multi Room Audio

from 1 Up to 1377 Zones (each can listen to different music) works both Stand Alone and Networkable (SBUS & LAN) stream music from NAS, Play from SD-Card, Connect to internet Music using Netstreamers, Play from your Mobile, computer or tablet using Bluetoooth or wifi link Connect to your PA or Phone system. Announce remotely using G4-RTU/SMS Module.





Class-A High End Amplifier






Fully Featured 2 Zone Connection Diagram (Home)




Mute and Override

PA Input Aux has Built-In Audio Auto Detect It Overrides the Played music once triggered

This makes it easy to play any music from any source, then override it with announcement or with Air-Music from phone or network







Technology

Entertainment

Safety

Information

Audio &

Security

Monitoring

Reminders

Happy Community

YES CAN Announce!





Scheduled

Greetings

Happy Birthday Happy Anniversary Happy Independence Seasons greatings

Reminders

Take your medicine Take out the Garbage Pay your bills

Ringing Bells

School Break Bell Announcement Factory Shift Start End Break Bells Prison Bells of sessions

Added Scheduling Ability When Working With Logic or with RSIP3 **Added Remote Speech and Announcement Ability When Working RTU/SMS Module**

Automated

Relegious

Religious Prayers Athan Announcement **Morning Prayers**

Informative

Audio Text

Showroom Product Information Museum Display information Zoo Exhibit information Request Assistance In Dept. Store **Departure Arrival Announcements**

Boarder Control

Automated rules announcement Instructions to follow Safety anouncement

Triggered

Emergency Evacuation

Fire warning and alert Earthquake warning and instructions Air Attack Warning and shelter guide Volcanic eruption Alerts Storm Alert and guidance

Security & Safety

Pool Warning alerts Dog Sound Alert Police is on its way Ambulance has been Called Help Grand Parent Trespassing Alert warning Parking CO Gas Alert Elevator Entrapment Alert

Vital Monitoring

Low Gas reserve, Please refill Low water Tank Water Leak Alert Forgotten Window Open Alert Forgotten gate open alert Septic Pump trip Sptic tank level alert

Smart G4 Audio System Connection For Different application



Commercial Application Example




Features and function

- -Shifts Chime, Automatic as per schedules
- -Greetings, Pre recorded Audio Files On Demand and Schedules
- -Emergency Evacuation on Trigger
- -Call from Anywhere and announce Live on PA
- -Play BGM and override it automatically by PA
- -Talk about Displayed Product or service (on Demand/Press)
- -Send SMS and Play Pre-recorded Messages on PA Direct

Application and use:

School - Factory - Workshop - Offices - Showroom - Museum - Mall Ports & Transport Hubs - Government Offices - Department Stores



All our products are heavy Duty (No operating System = No hick ups)


Residential Application Example



Alexa / Sonos / Apple Airport

Features and function





Chromecast will Override other Playing sources



Smart G4 Audio System Connection For Different application




Parenting Application Example

Features and function

- -Reminders for children to study and off games
- -Reminder for Grand parents to Take medicine
- -Reminder about Garbage day
- -Panic Button allows direct connection to Relative
- -2-Way Audio connectivity and speaker amplification
- -Can Call in and check on Parents and Baby
- -BGM on Demand

Application and use:

Elderly at Home - Remote Parenting - PWD




Religious Application Example



Features and function

- -Automatic Islamic Athan Announcement according to Sunni or Shiat
- -2 Million Cities Longitude and Latitude options
- -Select Athan Prompt type (Jerusalem, Meccah, Madinah, Cairo, Damascus)
- -5 Prayers ready schedule for 99 years in advance per City Location
- -System can Announce Duaa before and after prayer
- -System can Make Iqamah Automatically or by press on a button

Application and use:





Smart G4 Audio System Connection For Different application



Public Area Application Example




Features and function

- -Give instructions at Vaccination centers touch-less on detection
- -Announce Alert if Pool invisible fence is crossed unattended
- -Give Instruction to Passengers approaching immigration and customs on motion
- -Alert To Pool Area duellers that UV rays level is high to take caution
- -Announce Alert to People in parking that co gas level is high
- -Select your Language and get audio instructions on demand

Application and use:

Garage - Pool - Immigration - Customs Government Buildings -discipline structures Vaccination centers




SB-ZAudio2-DN









Easy APP



Select Source & Triple, Bass Create Que Play lists



Read SD card & NAS Songs



Control Multi Chromcast Zones Stream or Air-Play your Songs



Mini-ZAudio (ZAM)





Blue Tooth, USB, SD Card, FM Radio, Aux, PA, Audio out

DIMENSIONS:


95 mm (W) x 26 mm (H) x 95 mm (D)

Mini-Zone Audio

SMALL AND SEXY

The all-in-one player with built-in quad amplifiers 4 Channels Total: 2 channels pumps 30Watts each, and 2 channels that gives simply 6Watts for easy BGM. The built-in AUX with Auto audio-detect feature allows chromecast audio PnP with its full features *according to region

SB-MiniZA-FL



ALL YOU NEED!

ON BOARD CONTROL BUTTONS OLED DISPLAY USB, SDCARD, RADIO, AUX & BT

The only S-BUS Enabled Multi-Room Audio with BT At Affordable Price

Mini-ZAudio (ZAM)

WIRELESS BT & SBUS EASY SETUP

No complex programing. Simply connect MZA to your speakers then it is ready to play.

For added flexibility can connect to your ready Chromcast-Audio as PnP. and for added controllability from any wall panel, Smart Mobile device either locally or remotely over 3G/4G simply connect to S-BUS port.

Multi-Room Distributed Audio System





Mini-ZAudio (ZAM)

PLAY YOUR FAVORITE MUSIC IN EVERY ROOM OF YOUR HOME

USE YOUR USB, SD CARD, OR BLUE-PUSH USING ANY B.T. ENABLED DEVICE. TONE IN TO YOUR FAVORITE LOCAL FM RADIO CHANNELS OR PLUG TO YOUR PA SYSTEM TO ANNOUNCE. PnP TO CHROMECAST AUDIO TO AMPLIFY AND STREAM YOUR FAVORITE ONLINE OR IN PHONE PLAY LISTS OF YOUR SELECTION.









Music service availability varies by region.























VeVo

DEEZER


WIRE-LINE


All easy connectors, for easy DIY installation














speaker selector





Speaker Selector Diagram





speaker selector



Speaker Zone Selector is an Added Necessity to any installer in order to minimize installation time, impedance calculation wiring topology diagrams, & to give easy Audio Zone selection Affordable Features

Speaker Zone Selector is cascadable, affordable, and powerful it can be controlled manually, or from smart Panels as well as any smartphone or tablet

Flexible Controls



ALL YOU NEED!

PUMP MUSIC TO DIFFERENT AREAS
NO NEED TO CALCULATE SPEAKER OHM
NO NEED TO WIRE IN SPECIAL WAY

The only S-BUS Enabled Impedance matching Speaker Selector Accepts 100Watts per channel Maximum

FITS ANYWHERE

DIMENSIONS:

72 mm (W) x 72 mm (H) x 91 mm (D) SMALL SIZE: DIN-RAIL & WALL MOUNT

Easy speaker Connector connector S-BUS Enabled On-Board Control Manual control Ability (Push Buttons remote connection) Small Size, Easy Installation and connection

Application: HOME



PLAY YOUR FAVORITE MUSIC IN EVERY ROOM OF YOUR HOME

Select one room or group of rooms

play your favorite music and move it with you on the go.

create party mode as desired

control from your wall panel, switches, and your smart phone or tablet.

Area 1


Area 2


Area 3

Area 4

Area 5

Area 6





HOTEL AUDIO ZONE SELECTOR

Pump the selected Back Ground Music to all needed Areas, Schedule the Zone Announcements and Music using Smart Logic Module G4, Shift and Change zones according to occasion & Time of day.

Help activate Emergency Evacuation

Announce to selected single or Multi Zones

Cascadable, and can add more zones on the GO X6

- Area 1 Elevators

— Area 2 Hotel Rooms

Area 3 Lobbys

Area 4 Corridors

Area 5 Car Parking

----- Area 6 Gardens and Pool



MALL AUDIO ZONE SELECTOR

Whether it is BGM, or Public Announcement, or a scheduled Advertisement, a Call for Prayer, a Timed Closing Time Reminder, a special awareness message or more; the Smart-BUS enabled Zone selector will help to deliver it to the desired zone.

Connecting Chromecast®, Airport Express®, Air-Push® would allow manager or Security on the go to record and announce to selected single or Multi Zones.

— Floor 4


Floor 3

Floor 2
Floor 1

Floor 0

Car parking

Application: Prayer Hall









PRAYER HALL AUDIO Z.SELECTOR

Prayer halls are holly structures that require full and complex audio handling according to the activity inside and outside. The size of crowd, the occasion and more.

Whether it is a Church, Mosque, Temple, Pagoda, synagogue or other. All prayer halls and prayers structures require breaching and audio.

Call for Prayers Either As Church Bells, Azan, Drums, or Other can be Announced by adding SBUS Zone Audio module to call for prayer either Automatically or on Demand.

Small Prayer Z1

— Medium Prayer G2

Study / Breach G3

Big Prayer G4

Outdoors Z5

Huge Ceremonial G6

Other Application: IDEAS

School

Class Rooms Management Play Grounds Labs Hallways

Military

Officers
Mess
Dorms
Training Yard
Offices
Bunkers

Hospital

Outpatient Clinics Inpatient Wards Operating Theater Administration Labs Hallways Waiting Areas Parking Services

nital

Branch Administration Top Management Elevators Hallways Departments

Bank

Factory

Engineering Production Test Labs Packaging Warehousing Offices

Airport

Departure
Arrival
Services
Immigration
Baggage Handling
Public Services
Airline Offices


Museum Ticketing

Admin
Security
Precious Items
Public Services




speaker selector

Global Connection Diagram







G-Platter Bedside Audio Outlet

Elegant Glass Double Gang Creation Module with screw-less technology.

Built in Player/Amplifier and 3 watt speaker which allows music playing direct with full convenience.

This Audio module fits G-Platter Hotel Series and can be installed in Hotels safely without risk of loss of the audio device which is securely fitted into the wall.





Features:

Fits on Double UK Back box (Model UK double gang 6X3) Fits on Double EU/German/French Box

Built in Blue Tooth for Direct play from Laptop, Mobile or tablet Built in USB Slot to play from Guest USB Built in Aux for Audio jack cable connection Hidden behind the wall SD card for pre-loaded Hotel Music

Touch enabled buttons (Baklit) and simplified.

Mi-Audio2

Elegant Affordable in-wall Touch Audio Player - Amplifier with Dual connection to Power by either Direct Electricity 110-220AC Or by 24VDC.

Built in Player/Amplifier which allows music playing direct with full convenience from SD card, USB or Blue Tooth, or Cable connected Aux.

*Optional Hand Held Simplified remote control








Mi-Audio2



Connection Diagram



Wire Connection Pinout





Mi-Audio2

Features:

- ► Adopt Bluetooth wireless connection technology
- ► Standard 86 Mounted on the wall for easy control
- ▶ With wireless remote control
- ▶ 2.5D process glass with electroplated plastic border
- ► Elegant the light touch button
- ▶ Support play songs automatically when power on
- ▶ Support audio input and output function with secure and fast connect phoenix connectors
- ► Support linkage trigger doorbell
- Suitable for villa, homes, commercial areas, kid's room, etc.


| SPECIFICATIONS | SS-MiAudio2-UK |
|--------------------------|---|
| Output power | 2*25W |
| Speaker Impedance | 4-8ohm |
| Expand TF card memory | 32GB |
| Panel | Transparent and tough crystal panel with |
| | 9 touch light buttons, 1 touch half hidden button |
| Bluetooth wireless range | ≤10M |
| USB | OTG USB, 32G can be read |
| THD | 0.03% (1W.1KHZ) |
| Frequency response | 20 Hz-20 kHz (+/-2dB) |
| SNR | 98db |
| Music format | Mp3, WMA, WAV, AAC, WAW, APE, etc. |
| Power Requirements | 110-250VAC & 24VDC |
| Color | White, black, gold |
| Dimension | 86*86*10mm |
| Weight | 0.28kg |

Stand Alone or Integrate Via IR



SS-MiAudio2-UK/W







Mosaic Audio Center (Android)



Mosaic Audio Center (Android)





Quick Facts

Remote is Included Free

Easy Removable Connectors Mounts on Deep UK Back Box

Blue tooth and Wifi 110-220VAC driven

2X25Watt RMS



Features:

- ► Adopt Bluetooth and WIFI wireless connection technology
- Standard 86 Mounted on the wall for easy control
- ► With wireless remote control
- ▶ Rs485 protocol for integration
 ▶ Download APP like Spotify, Pandora etc to it to play music from internet
- ► Support triggering doorbell function
- ► Support remote trigger power on/off

- ➤ Support program timer on/off function; and programmed song play after power on
 ➤ Support audio input and output function with secure and fast connect phoenix connectors
 ➤ Support TF card and OTG 2.0USB interface, USB can be connected to the hard disk;
- ► With WIFI connection
- ▶ Suitable for homes, commercial areas, kid's room, etc.

Order your Optional Hand Held Simplified Remote








SB-Mosaic4-EU/G



SB-Mosaic4-EU/B


Mosaic Audio Center (Android)



SPECIFICATIONS

| 0 : : | 0.0514 |
|--------------------------|--|
| Output power | 2*25W |
| Speaker Impedance | 4-8ohm |
| System | Android 7.1 |
| Body memory | 1GB |
| Expand TF card memory | 8GB, Scalable to 32G |
| Network | WIFI |
| CPU | Cortex 1.2G (Quad core) |
| Display | 4inch capacitive touch screen |
| Resolution | 480*480 IPS |
| Bluetooth wireless range | ≤10M |
| USB | OTG USB |
| THD | 0.03% (1W.1KHZ) |
| Frequency response | 20 Hz-20 kHz (+/-2dB) |
| SNR | 98db |
| Music format | Mp3, WMA, WAV, AAC, WAW, APE, OGG, etc. |
| Video format | MPEG-1/2/3/4, RM/RMVB, WMV, MOV, MK, VOB, AVI, |
| | 3GP, H, 264, etc. |
| Power Requirements | 110-250VAC |
| Audio | Aux audio input and outputs |
| Dimension | 86*86*11mm |
| Weight | 0.7kg |
| | - |

Connection Diagram



Wire Connection Pinout





Lumin-Audio



2CHX25W Bluetooth wall amplifier with 2Ch lighting control (500W each)

Description:

This 2 channel small bluetooth multi-home audio system equipped with micro USB/TF can power 2 to 8 pieces of speakers in your home or small commercial area. It uses a high- efficiency class-D amplifier for a maximum output of 2*25 watts, low-impedance speakers. Plus, you can control everything -seek, change tracks, and adjust the volume - using the included wireless infrared remote controller.


Fit for Mass
Development

What is more, its all-in-one function, has the power switch for 2 lights

Stand Alone or Integrate Via IR



| SPECIFICATIONS | SS-Lumin-Audio-UK Part#BA-225LT |
|--------------------------|---|
| Output power | 2*25W (Yamaha Digital Amplifier) |
| Speaker Impedance | 4-8ohm |
| Expand TF card memory | 32GB |
| Panel | Transparent and tough crystal panel with |
| | 7 touch light buttons |
| Bluetooth wireless range | ≤10M |
| USB | OTG USB, 32G can be read |
| THD | 0.03% (1W.1KHZ) |
| Frequency response | 20 Hz-20 kHz (+/-2dB) |
| SNR | 98db |
| Audio input/input | 1/1 |
| Ilumination output Power | less than 500W per channel |
| Music format | Mp3, WMA, WAV, AAC, FL AC, WAW, APE, etc. |
| Power Requirements | 110-250VAC |
| Color | White |
| Dimension | 86*86*10mm |
| Weight | 0.28kg |



Window Audio Intercom System



| SPECIFICATIONS | SS-TellerTBK10-FL |
|-------------------------|-------------------|
| Power supply | DC 220/110V |
| Working voltage | DC 14V |
| Microphone sensitivity | -42 ± 2dB |
| Host power | 5W + 1W |
| Maximum working current | 600mA |
| Frequency response | 80Hz-14KHz |
| - | |



Desription and usage:

Window intercom system is primarily used in the counters and Bank/Window, or any places where conversations need to be Assisted like Embassies, Immigration, Military, Prisons etc..

Features:

- ► Fashion appearance and clear sound effect
- ► Volume control and MIC control
- ► Supervisor talk-in conversation can not be heard by windowsub stations
- ▶ Built-in recording signal output, can provide master station and sub station audio output for recording
- ▶ Simple connection and easy to install



Mini volume +



2CHX25W amplifier with Temperature sensor



Covert any Tablet into Thermostat & Zone Audio Player



Brief Description:

Fits in Any Standard Wall Back-Box Works as NO/NC using any dumb momentary press switch Has built-in Temperature sensor Port S-BUS Powered & enabled

DIMENSIONS:

46 mm (W) x 46 mm (H) x 16 mm (D)


Usage:

A- Amplify and Attenuate volume of connected source


B- Convert any Android Tablet to become S-BUS Switch with audio and Temperature


C- As Sub-Zone Volume controller for Balcony, Dressing, Bathroom, Office ...


Can Control Volume using NO/NC Push button & Smart G4 Smart Panels & App



Mini volume + Application Diagram Sub-zones Example







Same Example Applied to Offices ++

Classroom Active Wall Speaker Pair with Mic Input Set





WW-104A UHF 2*15W speaker in pair; 110-240VAC power supply with one head worn UHF mic

| SPECIFICATIONS SS-ClassWW-104A-UHF | | |
|------------------------------------|------------------------------|--|
| Power Wattage each | 15W | |
| Set has: | 2X15W Speakers with UHF Mic. | |
| SPL(1W/1M) | 92dB | |
| Max SPL@ 1M | 99dB | |
| Freq. Response | 90-18KHz | |
| Product Size | 205 × 302 × 115mm | |
| Installation | Wall mount | |
| Enclosure Material | wood | |
| Weight | 2kg | |
| Finish | Black | |
| Speakers | 4.5"×1 woofer | |

Full range active with presentation micophone in pair (2X15W)

Features:

- ► The cabinet is made of high-quality fiberboard and birch cold-pressed leather, which eliminates the resonance sound of the cabinet and is suitable for indoor use;
- ▶ Producing clear, bright and thorough sound;
- ► Elegant outlook
- ▶ Input voltage 70V / 100V optional



- ▶ 2-way speaker design with professionally tuned woofer and tweeter
- ▶ Aux stereo input allow you to connect two different audio sources.
- ▶ Easy installation and cost effective

Classroom/presentation Wooden Wall Speakers

NAI 6.5" Frame-less High End Speaker (High End)





Speaker Part Description

• Frequency Response: 60 Hz-20 kHz

RMS Power: 60 wattsImpedance: 8 ohms

• Sensitivity (1w/1m): 90dB

• Drive Unit Complement

● Woofer: 6.5" Kevlar Woven cone ■

6.5" PP cone ■

● Tweeter: 1.2'' Titanium dome ■


1.2" Slik dome ■

Tweeter equalizer: +3db/-3db
 Cutout Dimensions: φ210mm

• Overall Dimensions: Φ227X87mm


















Economy 6" Frame less Speaker Ceiling Mountable (High Performance)





| MODEL | OE-606LM-SPK |
|-----------------------------|-----------------|
| Recommended Amplifier Power | 10W to 125W |
| Power Peak | 30W at 8ohm |
| SPL(1W/1M) | 92dB |
| Max SPL@ 1M | 103dB |
| Freq. Response | 20Hz-18KHz |
| Cutout Size | Dia 170mm |
| Product Size | Dia 185x75mm(H) |
| Installation | Inceiling |
| Enclosure Material | ABS |
| Weight | 0.7Kg |
| Finish | White |
| Speakers | 6"x1 full range |

Frameless 6 Inch high performance ceiling Speaker

- ▶ 6" Full range ceiling speaker at high performance
- ► Elegant rimless design
- ► Good for PA and BGM

Rimless Version





OE-606LM-SPK



OE-606LM-SPK



3" Mini-Speaker Ceiling Mountable



| MODEL | OE-303FL-P (Standard version) |
|-----------------------------|--------------------------------|
| Driver size | 3 inch |
| Recommended Amplifier Power | 3W to 25W |
| Power Peak | 25W at 8 ohm |
| Sesitivity | $89Db\pm2(1w/1M)$ |
| Max SPL | 93Db |
| Speaker impedance | 8Ω |
| Frequency range | 100Hz-16KHz |
| 1000Hz Dispersion angel | 130 degree |
| Size | Ф120X80MM |
| Hole cut size | Ф100ММ |
| Material | ABS |
| Color | White |
| Installation | In ceiling |



MINI 8 ohm high performance ceiling Speaker

- ▶ Ceiling speaker for home entertainment and commercial application
- ▶ With clear acoustic performance for music and voice







Powerful Wall Surface mount Speaker







8 ohm high performance wall Speaker

- ▶ Wall speaker for home entertainment and commercial application
- ▶ With clear acoustic performance for music and voice
- ▶ 2 way stylish wall low impedance speaker



Applications:

Restaurants Lobbies Buildings Homes Private Club

| MODEL | OE-WP-420L | |
|-----------------------------|-----------------------------------|--|
| Recommended Amplifier Power | 20W to 125W | |
| Power Peak | 70W at 8 ohm | |
| SPL(1W/1M) | 92dB | |
| Max SPL@ 1M | 103dB | |
| Freq. Response | 20Hz-20KHz | |
| Cutout Size | NA | |
| Product Size | 215x170x150mm | |
| Installation | Wall mounted | |
| Enclosure Material | ABS | |
| Weight | 1.8Kg | |
| Finish | White as standard, Black optional | |
| Speakers | 1" x 1 (TREBLE) 4"x1 (BASS) | |

Water Proof Outdoor/Indoor Wall Surface mount Speaker



8 ohm high performance wall Speaker

Water Proof



Applications:

Gazebo Area Terrace & Balcony Pool area Sauna/Spa Building side walk ways



OE-OWS-LT/W WP-415LWP/W

| MODEL | OE-OWS-LT/W Part# WP-415LWP |
|-----------------------------|-----------------------------------|
| Recommended Amplifier Power | 15W to 125W |
| Power Peak | 50W at 8 ohm |
| SPL(1W/1M) | 90dB |
| Max SPL@ 1M | 101dB |
| Freq. Response | 100Hz-20KHz |
| Cutout Size | NA |
| Product Size | 209x133x133mm |
| Installation | Wall mounted |
| Enclosure Material | ABS |
| Weight | 1.1Kg |
| Finish | White as standard, Black optional |
| Speakers | 3/4" x 1 (TREBLE) 4"x1 (BASS) |

Water Proof Outdoor Garden Speakers



| MODEL | NAI-Rock5-SPK RK-620 |
|-----------------------------|----------------------|
| Recommended Amplifier Power | 20W to 125W |
| Power Peak | 70W at 8 Ohm |
| SPL(1W/1M) | 90dB |
| Max SPL@ 1M | 103dB |
| Freq. Response | 100Hz-16KHz |
| Dispersion Angel | NA |
| Product Size | 230x210x270mm |
| Installation | Ground mounted |
| Enclosure Material | Synthetic Resin |
| Weight | 3.5Kg |
| Finish | Grey |

8 Ohm Speaker

NAI-Rock5-SPK RK-620

- ► Weather proof for out door application
- ► Elegant yet powerful sound
- ► With 20W transformer





NAI-Rock5-SPK RK-620



SS-Bose-OD-501P

SS-Bose-OD-501P

- Outdoor high power speaker
- ► Radial design enable 360 degree sound dispersion
- ► Low frequency delivering depth sound

IP 66

8 Ohm Speaker

| MODEL | SS-Bose-OD-501P |
|-----------------------------|--------------------|
| Recommended Amplifier Power | 30W to 150W, |
| Power Peak | 100W at 8ohm |
| SPL(1W/1M) | 95dB |
| Max SPL@ 1M | 110dB |
| Freq. Response | 100Hz-16KHz |
| Cutout Size | 360 degree |
| Product Size | Dia 360x365mm |
| Installation | Ground fix |
| Enclosure Material | ABS |
| Weight | 3.0Kg |
| Finish | Sage Green |
| Speakers | 4.5" x1 full range |

Under Water Pool Speaker



| MODEL | SS-UWater-SPL-01 |
|-----------------------|------------------------|
| RMS Power at 8 ohm | 15W |
| Peak Power at 8 ohm | 30W |
| SPL(1W/1M) | 90dB |
| Max SPL@ 1M | 102dB |
| Freq. Response | 70Hz-20KHz |
| Dispersion Angel | 180x180 degree |
| Product Size | 200x200x35mm |
| Installation | Under water mounted |
| Max dept underwater | 10 Meters |
| Max transmit distance | 20 meter |
| IP rating | 68 |
| Operation Temp | 3 to 50 degree celcius |

Swimming Pool Speaker



Features:

- ▶ With IP 68, deep water use at stylist design with Excellent frequency response
- ▶ High SPL, wide frequency range and resistance to high water pressure
- ▶ The speaker is suitable for swimming pools, spa, and all types of under the water applications



SS-UWater-SPL-01



For Water aerobics dancing and entertainment

Resound art Speakers (Select your own Photos on walls)







Features

Full range sound speakers
Wooden Frame
Pictures are selectable and printable
Can be sold as single speaker
can be sold are set for theater 5.1 7.1
2 front, 2 back, center and sub woofer
Best sound quality
Hidden Speakers as Art work 2in1














www.smartg4.com





Sweden | Nigeria | Canada | Hong Kong | Italy | Dubai